

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2487	discover\$4 with (router or peer or bridge or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 21:41
L4	51	discover\$4 with (router or peer or bridge or node) same (list adj2 (node or router or peer or bridge)) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 21:50
L5	4	((("5056085") or ("5657317"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 21:50
S1	1	"20030131129"	US-PGPUB; USPAT	OR	ON	2005/02/07 16:16
S2	79	peer-to-peer with (search\$3 and file adj shar\$3)	US-PGPUB; USPAT	OR	ON	2005/02/04 14:48
S3	20787	rip ospf isis	US-PGPUB; USPAT	OR	ON	2005/02/04 14:49
S4	1474	ospf	US-PGPUB; USPAT	OR	ON	2005/02/04 14:58
S5	0	(ospf with discovery).ti,ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 14:58
S6	38	(ospf).ti,ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:10
S7	1	(cisco and discovery and protocol).ti,ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:20
S8	1926	709/238.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:21
S9	1456	709/238.ccls. and @ad<"20020110"	US-PGPUB; USPAT	OR	ON	2005/02/04 15:21
S10	75	709/238.ccls. and "peer-to-peer". and @ad<"20020110"	US-PGPUB; USPAT	OR	ON	2005/02/04 15:22
S11	0	709/238.ccls. and "peer-to-peer" with search\$3 and file adj shar\$3 and @ad<"20020110"	US-PGPUB; USPAT	OR	ON	2005/02/04 15:22
S12	1	709/238.ccls. and "peer-to-peer" with search\$3 and @ad<"20020110"	US-PGPUB; USPAT	OR	ON	2005/02/04 16:22
S13	7	gnutella adj2 protocol and @ad<"20020110"	US-PGPUB; USPAT	OR	ON	2005/02/07 15:37

S14	48	("5831982" "6192043" "5241682" "5715395" "4613946" "5303238" "5511208" "5706431" "6262984" "6272107" "6310877" "6396842" "6456600" "6473408" "6532237" "6577653" "6614757" "5517617" "5917820" "6147971" "6178172" "6208623" "6212188" "6212188" "6385201" "6470022" "6628636" "6791994" "5224205" "6122630" "5471469" "5515369" "6246669" "6426947" "6816479" "6061807" "6061807" "6072797" "5530701" "5551066" "5802310" "6011842" "6112249" "5278834" "6049805" "6178448" "6205362" "6336138" "6434626" "6442615").pn.	US-PGPUB; USPAT	OR	ON	2005/02/07 15:37
S15	5	("6128279" "6112181" "6065062" "56527515521910" "5511208" "5276789").pn.	US-PGPUB; USPAT	OR	ON	2005/02/07 16:17
S16	3	(IP adj2 address same port adj2 number) and (ping adj2 time\$out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:16
S17	3	(IP adj2 address same port adj2 number) and (ping adj2 time\$out) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:22
S18	1678	(message or request) near2 (expir\$5) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:24
S19	983	(message or request) adj2 (expir\$5) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:24
S20	983	((message or request) adj2 (expir\$5)) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:24
S21	83	((message or request) adj2 (expir\$5)).ab. and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:24

S22	2	((message or request) adj2 (expir\$5)).ab. and IP adj2 address and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:25
S23	6	((send\$4 or transmit\$4) adj2 (message or request) adj2 (expir\$5)) and IP adj2 address and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:28
S24	43	((send\$4 or transmit\$4) adj2 (message or request) adj2 (expir\$5)) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:28
S25	37	S24 not S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:28
S26	48	("5831982" "6192043" "5241682" "5715395" "4613946" "5303238" "5511208" "5706431" "6262984" "6272107" "6310877" "6396842" "6456600" "6473408" "6532237" "6577653" "6614757" "5517617" "5917820" "6147971" "6178172" "6208623" "6212188" "6212188" "6385201" "6470022" "6628636" "6791994" "5224205" "6122630" "5471469" "5515369" "6246669" "6426947" "6816479" "6061807" "6061807" "6072797" "5530701" "5551066" "5802310" "6011842" "6112249" "5278834" "6049805" "6178448" "6205362" "6336138" "6434626" "6442615").pn.	US-PGPUB; USPAT	OR	ON	2005/08/19 14:36
S27	5	("6128279" "6112181" "6065062" "56527515521910" "5511208" "5276789").pn.	US-PGPUB; USPAT	OR	ON	2005/08/19 14:36
S28	0	S26 and S27 and (message or request) same expir\$4 and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:38
S29	33	(connect\$4 or re\$connect\$4) same ping same time\$out and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:41

S30	1513	(number) near2 time\$2 with message with (send\$4 or transmit\$4) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:46
S31	1468	(number) adj3 time\$2 with message with (send\$4 or transmit\$4) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:46
S32	33	(number) adj3 time\$2 with message with (send\$4 or transmit\$4) and (communication or message) adj2 expir\$5 and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:52
S33	0	S32 and ping with time\$out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:52
S34	12	S32 and time\$out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:53
S35	24	ping adj2 time\$out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:53
S36	15	ping adj2 time\$out and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:42
S37	2	ping adj2 time\$out same (send\$4 or re\$send\$4 or transmit\$4) same message and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:43
S38	13	ping adj2 time\$out and (send\$4 or re\$send\$4 or transmit\$4) same message and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:44